



EMERGENCY CARE BC
Provincial Health Services Authority

Evaluation of Clinician Perspectives on an Emergency Department Patient Discharge Toolkit

Allie Cui, BHSc

UBC MD, Class of 2026

Elizabeth Stacy, BA, MA

ECBC Provincial Lead, Clinical Initiatives and Innovation

James Heilman, MD, FRCPC

Emergency Physician

Background

- The ED discharge context is unique
 - Fast-paced environment
 - Highly variable discharge processes
 - Diagnostic uncertainty
 - Resource-constrained workflows etc.
- A toolkit is being developed to support ED clinicians in conducting high quality discharges
 - **The challenge:** the tool must be easily integrated into existing workflows and relevant to clinician needs

Informing a Pilot Evaluation

Project Goal: Define 4 indicators in an evaluation assessing the “success” of an ED discharge toolkit

- **Evaluation Focus:** Clinician-level dynamics (uptake, attitudes etc)
- **Rationale:** We must ensure clinicians adopt the tool before we can reliably measure downstream patient outcomes
- **Methodology:** TBD, likely mixed-methods approach

Project Steps

1

Conduct a literature review on evaluation indicators used to assess clinician uptake of QI initiatives.

2

Meet with ED clinicians and partners to learn about local discharge processes, challenges and motivations.

3

Synthesize knowledge into 4 recommended evaluation indicators relevant to the pilot project and BC context.

Selected Indicators

Adoption

Appropriateness

Acceptability


Feasibility

Adoption

Key Focus: Measuring toolkit uptake.

Local Context: Current discharge practices are highly variable. Lack of engagement consistently identified as a barrier for QI projects.

- Assessing [utilization rate](#)
 - Change in PEPiR access of top 10 pages
 - % of printed handouts given out
 - QR code campaign
 - Changes in local ED data drawn from the provincial database





Acceptability

Key Focus: The perception that the toolkit is satisfactory, agreeable, or of value.

Local Context: Clinicians expressed a need for clear "why/what's in it for me" to justify engagement.

Sample Statements:

- "The toolkit improves the quality of discharge conversations I have with patients."
- "I would recommend this toolkit to other ED clinicians."

Sample Interview Question:

- What do you like or dislike about the toolkit?

Appropriateness

Key Focus: Perceived relevance or fit for the unique ED environment.

Local Context: The toolkit must feel appropriate for the team-based approach of the ED where responsibilities are often shared.

Sample Statements:

- "The toolkit addresses common challenges I encounter during ED discharges."
- "The toolkit is relevant to common ED discharge diagnoses and scenarios."

Sample Interview Question:

- Do you feel the toolkit adequately addresses the specific needs of your role?

Feasibility

Key Focus: The extent to which the tool can realistically be used.

Local Context: Lack of time, overburdened workflows, and resource accessibility were identified as potential logistical barriers.

Sample Statements:


- “The toolkit is easy to access at the point of care.”
- “I can realistically use this toolkit during a typical ED shift.”

Sample Interview Question:

- What barriers prevented you from using the toolkit?

Next Steps

- 4 evaluation indicators: adoption, acceptability, appropriateness, feasibility





EMERGENCY CARE BC
Provincial Health Services Authority

Thank you!

Questions/Comments?





- Donabedian A. The quality of care. How can it be assessed?. *JAMA*. 1988;260(12):1743-1748. doi:10.1001/jama.260.12.1743
- Gorlick MK, Balasubramanian S, Han G, et al. Scoping Review of Adult Emergency Department Discharge Interventions. *West J Emerg Med*. 2025;26(4):823-834. Published 2025 Jul 13. doi:10.5811/westjem.35264
- Agency for Healthcare Research and Quality. Improving the Emergency Department Discharge Progress: Environmental Scan Report. (2014). Accessed December 3, 2025. <https://www.ahrq.gov/>
- Núñez S, Hexdall A, Aguirre-Jaime A. Unscheduled returns to the emergency department: an outcome of medical errors?. *Qual Saf Health Care*. 2006;15(2):102-108. doi:10.1136/qshc.2005.016618
- Anaraki NR, Mukhopadhyay M, Jewer J, et al. A qualitative study of the barriers and facilitators impacting the implementation of a quality improvement program for emergency departments: SurgeCon. *BMC Health Serv Res*. 2024;24(1):855. doi:[10.1186/s12913-024-11345-w](https://doi.org/10.1186/s12913-024-11345-w)
- Proctor E, Silmere H, Raghavan R, et al. Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda. *Adm Policy Ment Health*. 2011;38(2):65-76. doi:10.1007/s10488-010-0319-7
- Mullennix, S. C., Iseler, J., Kwiatkowski, G. M., McCann-Spry, L., Skinner, J., Kuhl, N., VanDePol, E. K., & Poland, C. A. (2020). A Clinical Nurse Specialist–Led Emergency Department Naloxone Distribution Program. *Clinical Nurse Specialist*, 34(3), 116–123. <https://doi.org/10.1097/NUR.0000000000000515>
- Hejjaji V, Scholes A, Kennedy K, et al. Systemizing the Evaluation of Acute Heart Failure in the Emergency Department: A Quality Improvement Initiative. *Circ Cardiovasc Qual Outcomes*. 2020;13(11):e006168. doi:10.1161/CIRCOUTCOMES.119.006168
- Dalley, M. T., Baca, M. J., Raza, C., Boge, L., Edwards, D., Goldszer, R., Cubeddu, L., & Farcy, D. (2021). Does a Standardized Discharge Communication Tool Improve Resident Performance and Overall Patient Satisfaction? *Western Journal of Emergency Medicine*, 22(1), 52–59. <https://doi.org/10.5811/westjem.2020.9.48604>
- Halm EA, Atlas SJ, Borowsky LH, Benzer TI, Singer DE. Change in Physician Knowledge and Attitudes After Implementation of a Pneumonia Practice Guideline. *J Gen Intern Med*. 1999;14(11):688-694. doi:[10.1046/j.1525-1497.1999.03469.x](https://doi.org/10.1046/j.1525-1497.1999.03469.x)
- Kwan BM, Fernald D, Ferrarone P, et al. Implementation and Evaluation of a Laboratory Safety Process Improvement Toolkit. *J Am Board Fam Med*. 2019;32(2):136-145. doi:[10.3122/jabfm.2019.02.180109](https://doi.org/10.3122/jabfm.2019.02.180109)
- Weiner BJ, Lewis CC, Stanick C, et al. Psychometric assessment of three newly developed implementation outcome measures. *Implement Sci*. 2017;12(1):108. Published 2017 Aug 29. doi:10.1186/s13012-017-0635-3
- Intrinsic Motivation Inventory (IMI) – selfdeterminationtheory.org. Accessed December 1, 2025. <https://selfdeterminationtheory.org/intrinsic-motivation-inventory/>
- Hoysted C, Jobson L, Alisic E. A pilot randomized controlled trial evaluating a web-based training program on pediatric medical traumatic stress and trauma-informed care for emergency department staff. *Psychological Services*. 2019;16(1):38-47. doi:[10.1037/ser0000247](https://doi.org/10.1037/ser0000247)
- Billah T, Gordon L, Schoenfeld EM, Chang BP, Hess EP, Probst MA. Clinicians' perspectives on the implementation of patient decision aids in the emergency department: A qualitative interview study. *J Am Coll Emerg Physicians Open*. 2022;3(1):e12629. doi:[10.1002/emp2.12629](https://doi.org/10.1002/emp2.12629)
- Trivedi SP, Corderman S, Berlinberg E, Schoenthaler A, Horwitz LI. Assessment of Patient Education Delivered at Time of Hospital Discharge. *JAMA Intern Med*. 2023;183(5):417-423. doi:[10.1001/jamainternmed.2023.0070](https://doi.org/10.1001/jamainternmed.2023.0070)